NEUROSCIENCE LETTERS

Vol. 152 Nos. 1,2 **CONTENTS** **APRIL 2nd, 1993**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Cyclic nucleotides and inositol trisphosphate activate different components of the receptor current in *Limulus* ventral nerve photoreceptors
K. Nagy (FRG) 1

Interactions between glutamate, GABA, acetylcholine and histamine in the periaqueductal gray's control of vocalization in the squirrel monkey
U. Jürgens and C.-L. Lu (FRG, China) 5

Thapsigargin blocks the mobilisation of intracellular calcium caused by activation of human NK1 (long) receptors expressed in chinese hamster ovary cells
G.R. Seabrook and T.M. Fong (UK, USA) 9

Homomeric assemblies of NMDAR1 splice variants are sensitive to ethanol
V. Koltchine, V. Anantharam, A. Wilson, H. Bayley and S.N. Treistman (USA) 13

Effects of benzylpiperazine derivatives on the acute effects of 3,4-methylenedioxymethamphetamine in rat brain
K. Hashimoto (Japan) 17

Ontogenesis of NADPH-diaphorase neurons in the mouse forebrain
P. Derer and M. Derer (France) 21

On the expression of Fos-like protein in the subthalamic nucleus and basal ganglia output systems following kainic acid injections into the rodent striatum
T. Sugimoto, K. Sato, T. Houtani, T. Ueyama and M. Ikeda (Japan) 25

Premotor neurons projecting simultaneously to two orofacial motor nuclei by sending their branched axons. A study with a fluorescent retrograde double-labeling technique in the rat
Y.-Q. Li, M. Takada and N. Mizuno (Japan) 29

Free D-serine, D-aspartate and D-alanine in central nervous system and serum in mutant mice lacking D-amino acid oxidase
A. Hashimoto, T. Nishikawa, R. Konno, A. Niwa, Y. Yasumura, T. Oka and K. Takahashi (Japan) 33

Nerve growth factor (NGF), brain-derived neurotrophic factor (BDNF) and low-affinity nerve growth factor receptor (LNGFR) mRNA levels in cultured rat Schwann cells; differential time- and dose-dependent regulation by cAMP
M. Yamamoto, G. Sobue, M. Li, Y. Arakawa, T. Mitsuma and K. Kimata (Japan) 37

Prominent expression of the actin-sequestering peptide Fx gene in the hippocampal region of rat brain
J. Gómez-Márquez, J.I. Pedrares, A. Otero and R. Anadón (Spain) 41

Decreased cortical octopamine level in basal forebrain lesioned rats: a microdialysis study
G. Bendahan, M.L. Boatell and N. Mahy (Spain) 45

Neurotensin immunoreactivity in the colliculus inferior of cat: light and electron microscopic investigations
A.M. Paloff, M.E. Vankova and G. Tramu (Bulgaria, France) 48

Coupling of grip force and load force during arm movements with grasped objects
J.R. Flanagan, J. Tresilian and A.M. Wing (UK) 53

Neurite Outgrowth of neurons of rat dorsal root ganglia induced by new neurotrophic substances with guanidine group
S. Lehmann, C. Quirosa-Guillou, U. Becherer, C. Thal and J.-P. Zanetta (France) 57

Actions of clozapine and haloperidol on the extracellular levels of excitatory amino acids in the prefrontal cortex and striatum of conscious rats
D.A. Daly and B. Moghaddam (USA) 61

Spreading depression can be restricted to distinct depths of the rat cerebral cortex
F. Richter and A. Lehmenkühler (FRG) 65

Effects of territrem-B on cholinergic responses of snail neuron
V.L. Arvanov, K.-H. Ling, R.-C. Chen and M.-C. Tsai (ROC) 69

Localization of NADPH-Diaphorase in pelvic afferent and efferent pathways of the rat
M.A. Vizzard, S.L. Erdman and W.C. de Groat (USA) 72

Desensitization of embryonic nicotinic acetylcholine receptors expressed in *Xenopus* oocytes
J. Bufler, C. Franke, V. Witzemann, J.P. Ruppersberg, S. Merlitze and J. Dudel (FRG) 77

(Contents continued on p. 197)

This journal is printed on acid-free paper.

0304-3940(19930402)152:1/2;1-J

ganglia output systems following kainic acid injections into the rodent striatum, 25
Sugita, O., see Kawano, M., 158
Summy-Long, J.Y., Bui, V., Mantz, S., Koehler, E., Weisz, J. and Kadekaro, M., Central inhibition of nitric oxide synthase preferentially augments release of oxytocin during dehydration, 190

Takada, M., see Li, Y.-Q., 29
Takagi, H., see Kawano, M., 158
Takahashi, K., see Hashimoto, A., 33
Tanaka, K.-i., see Ogawa, N., 173
Testa, C.M., see Standaert, D.G., 161
Thal, C., see Lehmann, S., 57
Tramu, G., see Paloff, A.M., 48
Treistman, S.N., see Koltchine, V., 13
Tresilian, J., see Flanagan, J.R., 53
Tsai, M.-C., see Arvanov, V.L., 69
Tsuda, T., see Wong, L., 96

Ueyama, T., see Sugimoto, T., 25

Vankova, M.E., see Paloff, A.M., 48
Vecino, E., García-Briñon, J., Velasco, A., Caminos, E. and Lara, J., Calbindin D-28K distribution in the retina of the developing trout (*Salmo fario* L.), 91
Velasco, A., see Vecino, E., 91
Verge, V.M.K., see Xu, X.-J., 129
Vizuete, M.L., Steffen, V., Ayala, A., Cano, J. and Machado, A., Protective effect of deprenyl against 1-methyl-4-phenylpyridinium neurotoxicity in rat striatum, 113
Vizzard, M.A., Erdman, S.L. and De Groat, W.C., Localization of NADPH-Diaphorase in pelvic afferent and efferent pathways of the rat, 72

Wadhwa, S., see Hayaran, A., 99
Weisz, J., see Summy-Long, J.Y., 190
Wiesenfeld-Hallin, Z., see Xu, X.-J., 129
Wilson, A., see Koltchine, V., 13
Wing, A.M., see Flanagan, J.R., 53
Witzemann, V., see Bufler, J., 77
Wong, L., Liang, Y., Jiang, L., Tsuda, T., Fong, Q., Galway, G., Alexandrova, N., Rogaeva, E., Lukiw, W., Smith, J., Rogaev, E., McLachlan, D.C. and George-Hyslop, P.S., Mutation of the gene for the human lysosomal serine protease cathepsin g is not the cause of aberrant *APP* processing in familial Alzheimer disease, 96

Xu, X.-J., Puke, M.J.C., Verge, V.M.K., Wiesenfeld-Hallin, Z., Hughes, J. and Hökfelt, T., Up-regulation of cholecystokinin in primary sensory neurons is associated with morphine insensitivity in experimental neuropathic pain in the rat, 129

Yamamoto, M., Sobue, G., Li, M., Arakawa, Y., Mitsuma, T. and Kimata, K., Nerve growth factor (NGF), brain-derived neurotrophic factor (BDNF) and low-affinity nerve growth factor receptor (LNGFR) mRNA levels in cultured rat Schwann cells; differential time- and dose-dependent regulation by cAMP, 37
Yasumura, Y., see Hashimoto, A., 33
Young, A.B., see Standaert, D.G., 161

Zahniser, N.R., see Cass, W.A., 177
Zamora, C., see Gruart, A., 87
Zanetta, J.-P., see Lehmann, S., 57
Zukin, R.S., see Araneda, R.C., 107

CONTENTS *(continued from the back cover)*

Visual evoked potentials in the rat quinolinic acid model of Huntington's disease
M. Schwarz and F. Block (FRG) 81
Medium-dependent dissociation of cytotoxic and GABA-releasing effects of *N*-methyl-D-aspartate (NMDA), α-amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) and kainate in rat cortical cultures
S.L. Erdő, N.-s. Cai and V. Lakics (Hungary, FRG) 84
Response diversity of pontine and deep cerebellar nuclear neurons to air puff stimulation of the eye in the alert cat
A. Gruart, C. Zamora and J.M. Delgado-García (Spain) 87
Calbindin D-28K distribution in the retina of the developing trout (*Salmo fario* L.)
E. Vecino, J. García-Briñon, A. Velasco, E. Caminos and J. Lara (Spain) 91
Mutation of the gene for the human lysosomal serine protease cathepsin g is not the cause of aberrant *APP* processing in familial Alzheimer disease
L. Wong, Y. Liang, L. Jiang, T. Tsuda, Q. Fong, G. Galway, N. Alexandrova, E. Rogaeva, W. Lukiw, J. Smith, E. Rogaev, D.C. McLachlan and P.S. George-Hyslop (Canada) 96
Expression of substance P in dentate nucleus of human cerebellum
A. Hayaran, S. Wadhwa and V. Bijlani (India) 99
The hypophagic effect of restraint stress in rats can be mediated by 5-HT_2 receptors in the paraventricular nucleus of the hypothalamus
G. Grignaschi, B. Mantelli and R. Samanin (Italy) 103
Effects of polyamines on NMDA-induced currents in rat hippocampal neurons: a whole-cell and single-channel study
R.C. Araneda, R.S. Zukin and M.V.L. Bennett (USA) 107